MASSACHUSETTS ALGEBRA 2 · UNIT 1 · 25 QUESTIONS

Functions and Graphs — Practice Test

This practice test was made by AI and there may be mistakes. If a question or answer looks wrong, use the Flag a mistake button to let Brett know so he can fix it.

1 If f(x) = 2x + 3, then f(4) is

- A 9
- B 11
- C 10
- D 12

Understand It with Pulse | Flag a mistake

2 If g(x) = x² - 5x + 6, then g(3) is

- A 3
- B -3
- C 6
- D 0

Understand It with Pulse | Flag a mistake

3 **If f(x) = 3x - 7, then f(-2) is**

- **A** -13
- **B** 13
- **C** 1
- **D** -1

Understand It with Pulse | Flag a mistake

4 **The domain of f(x) = $\sqrt{x - 5}$ is**

- **A** all real numbers
- **B** $x > 5$
- **C** $x \geq 5$
- **D** $x \leq 5$

Understand It with Pulse | Flag a mistake

5 **The domain of f(x) = 1/x + 2 is**

- **A** $x \neq -2$
- **B** all real numbers
- **C** $x \neq 2$
- **D** $x \geq -2$

Understand It with Pulse | Flag a mistake

6 **The range of f(x) = x^2 - 4 is**

- **A** $y \leq -4$
- **B** $y > -4$
- **C** $y \geq -4$
- **D** $y \geq 4$

Understand It with Pulse | Flag a mistake

7 **The point (-2, 5) lies on the graph of y = f(x). The image of this point on the graph of y = f(x - 3) + 2 is**

- A (1, 3)
- B (-5, 3)
- C (1, 7)
- D (-5, 7)

Understand It with Pulse | Flag a mistake

8 **The vertex of $y = (x - 3)^2 + 5$ is**

- A (-3, -5)
- B (-3, 5)
- C (3, -5)
- D (3, 5)

Understand It with Pulse | Flag a mistake

9 **The inverse of f(x) = 3x + 4 is**

- **A** $f^{-1}(x) = x + 4/3$
- **B** $f^{-1}(x) = x - 4/3$
- **C** $f^{-1}(x) = 3x - 4$
- **D** $f^{-1}(x) = x/3 + 4$

Understand It with Pulse | Flag a mistake

10 **Given f(x) = 2x + 1 and g(x) = x², the value of (f ° g)(3) is**

- **A** 10
- **B** 7
- **C** 37
- **D** 19

Understand It with Pulse | Flag a mistake

11 Given f(x) = x + 3 and g(x) = 2x - 1, the value of (g ° f)(2) is

- A 9
- B 7
- C 5
- D 11

Understand It with Pulse | Flag a mistake

12 Let f(x) = 2x for x < 0 and f(x) = x + 3 for x ≥ 0. The value of f(-2) + f(3) is

- A 1
- B -2
- C 2
- D 10

Understand It with Pulse | Flag a mistake

13 The sum of the solutions of $|x - 4| = 3$ is

- A 6
- B 10
- C 8
- D 4

Understand It with Pulse | Flag a mistake

14 The average rate of change of $f(x) = x^2$ on the interval $1 \leq x \leq 4$ is

- A 6
- B 5
- C 15
- D 4

Understand It with Pulse | Flag a mistake

15 **Which statement about the relation {(1, 2), (2, 3), (1, 4)} is true?**

A It is a function because it has three pairs

B It is not a function because 2 has two outputs


C It is a function because every output is different

D It is not a function because 1 has two outputs

Understand It with Pulse | Flag a mistake

16 **The graph below shows $y = x^2 - 4$. The vertex of the graph is**

16 **The graph below shows $y = x^2 - 4$. The vertex of the graph is**



A (2, 0)
B (0, 4)
C (0, -4)
D (-4, 0)

A (2, 0)

B (0, 4)

C (0, -4)

D (-4, 0)

Understand It with Pulse

Flag a mistake

17 The x-intercept of $y = 2x - 6$ is

- A -3
- B 6
- C 3
- D -6

Understand It with Pulse | Flag a mistake

18 A linear function passes through (0, 3) and (2, 7). Its slope is

- A 3
- B 2
- C $\frac{1}{2}$
- D 4

Understand It with Pulse | Flag a mistake

19 **The function $f(x) = x^3$ is**

- A neither even nor odd
- B both even and odd
- C even
- D odd

Understand It with Pulse | Flag a mistake

20 **The point (4, -2) lies on the graph of $y = f(x)$. The corresponding point on the graph of the inverse, $y = f^{-1}(x)$, is**

- A (2, -4)
- B (4, 2)
- C (-2, 4)
- D (-4, 2)

Understand It with Pulse | Flag a mistake

21 **Compared to the graph of y = f(x), the graph of y = -2f(x) has been**

A reflected in the x-axis and vertically compressed by a factor of 2

B reflected in the y-axis and vertically stretched by a factor of 2

C vertically stretched by a factor of 2 only

D reflected in the x-axis and vertically stretched by a factor of 2

Understand It with Pulse | Flag a mistake

22 **If $f(x) = x^2 + 1$, then the positive solution of $f(x) = 10$ is**

ANSWER _____

Understand It with Pulse | Flag a mistake

23 If f(x) = x - 1/x + 2, then f(3) is

- A $\frac{1}{2}$
- B $\frac{2}{5}$
- C 2
- D $\frac{4}{5}$

Understand It with Pulse | Flag a mistake

24 The larger zero of $y = x^2 - 5x + 6$ is

- A 6
- B 1
- C 2
- D 3

Understand It with Pulse | Flag a mistake

25 **The domain of y = f(x) is -2 ≤ x ≤ 6. The domain of y = f(x + 2) is**

A $4 \leq x \leq 12$

B $-4 \leq x \leq 4$

C $0 \leq x \leq 8$

D $-2 \leq x \leq 6$

Understand It with Pulse | Flag a mistake

ANSWER KEY

1. B
2. D
3. A
4. C
5. A
6. C
7. C
8. D
9. B
10. D
11. A
12. C
13. C
14. B
15. D
16. C
17. C
18. B
19. D
20. C
21. D
22. 3
23. B
24. D
25. B

© 2026 Brett Robbins. All Rights Reserved.