Final Exam, Practice final exam (50 questions) — Practice Test

This practice test was made by AI and there may be mistakes. If a question or answer looks wrong, use the Flag a mistake button to let Brett know so he can fix it.

1 **If f(x) = 3x - 7, then f(-2) is**

Question 1

If $f(x) = 3x - 7$, then $f(-2)$ is

A) -13

B) 13

C) 1

D) -1

- **A** -13
- **B** 13
- **C** 1
- **D** -1

Understand It with Pulse | Flag a mistake

2 The leading coefficient of -2x⁴ + 5x² - x + 7 is

Question 2

The leading coefficient of $-2x^4 + 5x^2 - x + 7$ is

A) −2

B) 4

C) 7

D) 5

A -2

B 4

C 7

D 5

Understand It with Pulse

Flag a mistake

3 The value of $\log_3 81$ is

Question 3

The value of $\log_3 81$ is

A) 9

B) 4

C) 27

D) 3

A 9

B 4

C 27

D 3

Understand It with Pulse

Flag a mistake

4 The median of 3, 5, 7, 9, 11 is

Question 4

The median of 3, 5, 7, 9, 11 is

A) 9

B) 7

C) 11

D) 5

A 9

B 7

C 11

D 5

Understand It with Pulse

Flag a mistake

5 The domain of f(x) = 1/x + 2 is

Question 5

The domain of $f(x)=\frac{1}{x+2}$ is

A) $x \neq -2$

B) all real numbers

C) $x \neq 2$

D) $x \geq -2$

A all real numbers

B x ≠ 2

C x ≠ -2

D x ≥ -2

Understand It with Pulse

Flag a mistake

6 A factored form of x² + 5x + 6 is

Question 6

A factored form of $x^2 + 5x + 6$ is

A) $(x - 2)(x + 3)$

B) $(x + 1)(x + 6)$

C) $(x - 2)(x - 3)$

D) $(x + 2)(x + 3)$

A (x - 2)(x + 3)

B (x + 1)(x + 6)

C (x - 2)(x - 3)

D (x + 2)(x + 3)

Understand It with Pulse

Flag a mistake

7 The solution of $\log_2 x = 4$ is

Question 7

The solution of $\log_2 x = 4$ is

A) 8

B) 16

C) 2

D) 64

A 8

B 16

C 2

D 64

Understand It with Pulse

Flag a mistake

8

In a normal distribution with mean 100 and standard deviation 15, about what percent of values lie within one standard deviation of the mean?

Question 8

In a normal distribution with mean 100 and standard deviation 15, about what percent of values lie within one standard deviation of the mean?

A) 68%

B) 95%

C) 99.7%

D) 50%

A 68%

B 95%

C 99.7%

D 50%

Understand It with Pulse

Flag a mistake

9 The inverse of f(x) = 5x - 10 is

Question 9

The inverse of $f(x) = 5x - 10$ is

A) $f^{-1}(x) = \frac{x+10}{5}$

B) $f^{-1}(x) = 5x + 10$

C) $f^{-1}(x) = \frac{x}{5} - 10$

D) $f^{-1}(x) = \frac{x-10}{5}$

A $f^{-1}(x) = x + 10/5$

B $f^{-1}(x) = 5x + 10$

C $f^{-1}(x) = x/5 - 10$

D $f^{-1}(x) = x - 10/5$

Understand It with Pulse

Flag a mistake

10 For $(x - 2)^2(x + 1)$, the multiplicity of the zero 2 is

Question 10

For $(x - 2)^2(x + 1)$, the multiplicity of the zero 2 is

A) 2

B) 3

C) 0

D) 1

A 2

B 3

C 0

D 1

Understand It with Pulse

Flag a mistake

11

A sample of 800 grams has a half-life of 10 years. After 20 years, the mass remaining, in grams, is

Question 11

A sample of 800 grams has a half – life of 10 years. After 20 years, the mass remaining, in grams, is

A) 100

B) 600

C) 400

D) 200

A 100

B 600

C 400

D 200

Understand It with Pulse

Flag a mistake

12 The probability of drawing a red card from a standard 52-card deck is

Question 12

The probability of drawing a red card from a standard 52 −card deck is

A) $\frac{1}{4}$

B) $\frac{1}{2}$

C) $\frac{1}{13}$

D) $\frac{3}{4}$

A 1/4

B 1/2

C 1/13

D 3/4

Understand It with Pulse

Flag a mistake

13

Given f(x) = x + 3 and g(x) = 2x - 1, the value of (g ° f)(2) is

Question 13

Given $f(x) = x + 3$ and $g(x) = 2x - 1$, the value of $(g \circ f)(2)$ is

A) 9

B) 7

C) 5

D) 11

A 9

B 7

C 5

D 11

Understand It with Pulse

Flag a mistake

14 The graph of y = x² - 4/x - 2 has a hole at

Question 14

The graph of $y = \frac{x^2-4}{x-2}$ has a hole at

A) $x = -2$

B) $x = 2$

C) $x = 4$

D) $y = 2$

A x = -2

B x = 2

C x = 4

D y = 2

Understand It with Pulse

Flag a mistake

15 The exact value of tan(π/4) is

Question 15

The exact value of $\tan\left(\frac{\pi}{4}\right)$ is

A) $\frac{\sqrt{3}}{3}$

B) $\sqrt{3}$

C) 1

D) 0

A $\sqrt{3}/3$

B $\sqrt{3}$

C 1

D 0

Understand It with Pulse

Flag a mistake

16 The number of combinations of 3 students chosen from 8 is

Question 16

The number of combinations of 3 students chosen from 8 is

A) 168

B) 24

C) 56

D) 336

A 168

B 24

C 56

D 336

Understand It with Pulse

Flag a mistake

17 The average rate of change of f(x) = x² on the interval 1 ≤ x ≤ 4 is

Question 17

The average rate of change of $f(x) = x^2$ on the interval $1 \leq x \leq 4$ is

A) 6

B) 5

C) 15

D) 4

- **A** 6
- **B** 5
- **C** 15
- **D** 4

Understand It with Pulse | Flag a mistake

18 The solution of x/x - 1 = 2 is

Question 18

The solution of $\frac{x}{x-1} = 2$ is

A) $x = -1$

B) $x = 1$

C) $x = -2$

D) $x = 2$

A x = -1

B x = 1

C x = -2

D x = 2

Understand It with Pulse

Flag a mistake

19 The amplitude of y = 3cos x + 1 is

Question 19

The amplitude of $y = 3\cos x + 1$ is

A) 4

B) 3

C) 2

D) 1

A 4

B 3

C 2

D 1

Understand It with Pulse

Flag a mistake

20

Which correlation coefficient shows the strongest linear relationship?

Question 20

Which correlation coefficient shows the strongest linear relationship?

A) −0.30

B) 0.45

C) −0.92

D) 0.85

A -0.30

B 0.45

C -0.92

D 0.85

Understand It with Pulse

Flag a mistake

21 The x-intercept of y = 2x - 6 is

Question 21

The x –intercept of $y = 2x - 6$ is

A) –3

B) 6

C) 3

D) –6

A -3

B 6

C 3

D -6

Understand It with Pulse

Flag a mistake

22 The zeros of x² + 4 are

Question 22

The zeros of $x^2 + 4$ are

A) $4, -4$

B) none

C) $2, -2$

D) $2i, -2i$

A 4, -4

B none

C 2, -2

D 2i, -2i

Understand It with Pulse | Flag a mistake

23 The number of solutions of sin x = 1/2 on 0 ≤ x < 2π is

Question 23

The number of solutions of $\sin x = \frac{1}{2}$ on $0 \leq x < 2\pi$ is

ANSWER

Understand It with Pulse | Flag a mistake

24

A bag has 3 red marbles and 5 blue marbles. The probability of drawing a blue marble is

Question 24

A bag has 3 red marbles and 5 blue marbles. The probability of drawing a blue marble is

A) $\frac{5}{8}$

B) $\frac{5}{3}$

C) $\frac{3}{5}$

D) $\frac{3}{8}$

A 5/8

B 5/3

C 3/5

D 3/8

Understand It with Pulse

Flag a mistake

25 Compared to the graph of y = f(x), the graph of y = -2f(x) has been

Question 25

Compared to the graph of $y = f(x)$, the graph of $y = -2f(x)$ has been

A) reflected in the x −axis and vertically compressed by a factor of 2

B) reflected in the y −axis and vertically stretched by a factor of 2

C) vertically stretched by a factor of 2 only

D) reflected in the x −axis and vertically stretched by a factor of 2

A reflected in the x-axis and vertically compressed by a factor of 2

B reflected in the y-axis and vertically stretched by a factor of 2

C vertically stretched by a factor of 2 only

D reflected in the x-axis and vertically stretched by a factor of 2

Understand It with Pulse

Flag a mistake

26 The horizontal asymptote of y = 3x + 1/x² + 2 is

Question 26

The horizontal asymptote of $y = \frac{3x+1}{x^2+2}$ is

A) $y = 1$

B) none

C) $y = 3$

D) $y = 0$

A y = 1

B none

C y = 3

D y = 0

Understand It with Pulse | Flag a mistake

27 An item worth 20000 dollars loses 10% of its value each year. After 2 years, its value, in dollars, is

Question 27

An item worth 20000 dollars loses 10% of its value each year. After 2 years, its value, in dollars, is

ANSWER

Understand It with Pulse | Flag a mistake

28 A fair die is rolled twice. The probability that both rolls are even is

Question 28

A fair die is rolled twice. The probability that both rolls are even is

A) $\frac{1}{6}$

B) $\frac{1}{4}$

C) $\frac{1}{2}$

D) $\frac{1}{3}$

A 1/6

B 1/4

C 1/2

D 1/3

Understand It with Pulse

Flag a mistake

29 The larger zero of y = x² - 5x + 6 is

Question 29

The larger zero of $y = x^2 - 5x + 6$ is

A) 6

B) 1

C) 2

D) 3

A 6

B 1

C 2

D 3

Understand It with Pulse

Flag a mistake

30 The solution of x + 3/x = 2 is

Question 30

The solution of $\frac{x+3}{x} = 2$ is

A) $x = -3$

B) $x = 3$

C) $x = 6$

D) $x = 1$

A x = -3

B x = 3

C x = 6

D x = 1

Understand It with Pulse

Flag a mistake

31 The value of 2^5 is

Question 31

The value of 2^5 is

A) 10

B) 25

C) 32

D) 64

A 10

B 25

C 32

D 64

Understand It with Pulse

Flag a mistake

32 The mean of 5, 10, 15 is

Question 32

The mean of 5, 10, 15 is

A) 5

B) 15

C) 10

D) 20

A 5

B 15

C 10

D 20

Understand It with Pulse

Flag a mistake

33 The domain of f(x) = 1/2x - 6 is

Question 33

The domain of $f(x) = \frac{1}{2x-6}$ is

A) $x \neq -3$

B) $x \neq 3$

C) all real numbers

D) $x \neq 6$

A x ≠ -3

B x ≠ 3

C all real numbers

D x ≠ 6

Understand It with Pulse

Flag a mistake

34 If f(x) = 2x³ - x² + 4, then the remainder when f(x) is divided by x - 1 is

Question 34

If $f(x) = 2x^3 - x^2 + 4$, then the remainder when $f(x)$ is divided by $x - 1$ is

A) 5

B) 1

C) 7

D) 3

A 5

B 1

C 7

D 3

Understand It with Pulse

Flag a mistake

35 The expression log x + log y is equivalent to

Question 35

The expression $\log\ x\ +\ \log\ y$ is equivalent to

A) $\log\ x\ \cdot\ \log\ y$

B) $\log(x\ +\ y)$

C) $\log(xy)$

D) $\log\left(\frac{x}{y}\right)$

A log x · log y

B log(x + y)

C log(xy)

D log(x/y)

Understand It with Pulse

Flag a mistake

36

In a normal distribution, about what percent of values lie within two standard deviations of the mean?

Question 36

In a normal distribution, about what percent of values lie within two standard deviations of the mean?

A) 99.7%

B) 68%

C) 50%

D) 95%

A 99.7%

B 68%

C 50%

D 95%

Understand It with Pulse

Flag a mistake

37 Given f(x) = x - 4 and g(x) = 3x, the value of (f ° g)(2) is

Question 37

Given $f(x) = x - 4$ and $g(x) = 3x$, the value of $(f \circ g)(2)$ is

A) 2

B) 10

C) −2

D) 6

A 2

B 10

C -2

D 6

Understand It with Pulse

Flag a mistake

38 The horizontal asymptote of y = 5x² - 1/2x² + 3 is

Question 38

The horizontal asymptote of $y = \frac{5x^2 - 1}{2x^2 + 3}$ is

A) $y = 5$

B) $y = 2$

C) $y = \frac{5}{2}$

D) $y = \frac{2}{5}$

A y = 5

B y = 2

C y = 5/2

D y = 2/5

Understand It with Pulse | Flag a mistake

39 A bank balance of 1000 dollars grows by 5% each year. After 2 years, the balance, in dollars, is

Question 39

A bank balance of 1000 dollars grows by 5% each year. After 2 years, the balance, in dollars, is

ANSWER

Understand It with Pulse | Flag a mistake

40

The probability of drawing a face card (jack, queen, or king) from a standard 52-card deck is

Question 40

The probability of drawing a face card (jack, queen, or king) from a standard 52 −card deck is

A) $\frac{1}{4}$

B) $\frac{1}{2}$

C) $\frac{1}{13}$

D) $\frac{3}{13}$

A 1/4

B 1/2

C 1/13

D 3/13

Understand It with Pulse

Flag a mistake

41

The point (6, 3) lies on the graph of y = f(x). The image of this point on the graph of y = f(2x) is

Question 41

The point $(6,\ 3)$ lies on the graph of $y = f(x)$. The image of this point on the graph of $y = f(2x)$ is

A) $(6,\ 6)$

B) $(3,\ 6)$

C) $(12,\ 3)$

D) $(3,\ 3)$

A (6, 6)

B (3, 6)

C (12, 3)

D (3, 3)

Understand It with Pulse

Flag a mistake

42 As x → -∞, the value of 2x³ + x approaches

Question 42

As $x \to -\infty$, the value of $2x^3 + x$ approaches

A) 2

B) positive infinity

C) negative infinity

D) 0

- **A** 2
- **B** positive infinity
- **C** negative infinity
- **D** 0

Understand It with Pulse | Flag a mistake

43 An angle of -60° is coterminal with

Question 43

An angle of -60° is coterminal with

A) 120°

B) 300°

C) 240°

D) 60°

A 120°

B 300°

C 240°

D 60°

Understand It with Pulse

Flag a mistake

44 A correlation of -0.15 shows

Question 44

A correlation of -0.15 shows

A) a strong negative relationship

B) no relationship at all

C) a strong positive relationship

D) a weak negative relationship

A a strong negative relationship

B no relationship at all

C a strong positive relationship

D a weak negative relationship

Understand It with Pulse

Flag a mistake

45 The function f(x) = x² is

Question 45

The function $f(x) = x^2$ is

A) even

B) neither even nor odd

C) both even and odd

D) odd

A even

B neither even nor odd

C both even and odd

D odd

Understand It with Pulse

Flag a mistake

46 The zeros of x² + 9 are

Question 46

The zeros of $x^2 + 9$ are

A) $9, -9$

B) none

C) $3, -3$

D) $3i, -3i$

- **A** 9, -9
- **B** none
- **C** 3, -3
- **D** 3i, -3i

Understand It with Pulse | Flag a mistake

47 The number of solutions of cos x = 0 on 0 ≤ x < 2π is

Question 47

The number of solutions of $\cos x = 0$ on $0 \leq x < 2\pi$ is

ANSWER _____

Understand It with Pulse | Flag a mistake

48 The probability of at least one head in two fair coin flips is

Question 48

The probability of at least one head in two fair coin flips is

A) $\frac{1}{4}$

B) $\frac{1}{2}$

C) $\frac{3}{4}$

D) 1

A 1/4

B 1/2

C 3/4

D 1

Understand It with Pulse

Flag a mistake

49 The larger solution of |2x - 1| = 5 is

Question 49

The larger solution of $|2x - 1| = 5$ is

A) 2

B) −2


C) 3

D) −3

- **A** 2
- **B** -2
- **C** 3
- **D** -3

Understand It with Pulse | Flag a mistake

50 The graph below shows y = x³ - 3x. The sum of its zeros is



ANSWER

Understand It with Pulse | Flag a mistake

ANSWER KEY

1. A
2. A
3. B
4. B
5. C
6. D
7. B
8. A
9. A
10. A
11. D
12. B
13. A
14. B
15. C
16. C
17. B
18. D
19. B
20. C
21. C
22. D
23. 2
24. A
25. D
26. D
27. 16200
28. B
29. D
30. B
31. C
32. C
33. B
34. A
35. C
36. D
37. A
38. C
39. 1102.5
40. D
41. D
42. C
43. B
44. D
45. A
46. D
47. 2
48. C
49. C
50. 0

© 2026 Brett Robbins. All Rights Reserved.